



Magnesia metallurgical flux FluMag[®]

Description	Highly effective magnesian metallurgical flux with trademark "Flumag" is a lump (not briquetted) roasting free fireproof material. Flux produced from natural mineral brucite by selective extraction followed by X-ray radiometric separation in chemical composition and separation by fractional composition.																		
Application	Used for improving of slag formation and correction of magnesium oxides in the slag during steelmaking in converters, namely for forming of wear resistant slag scull on the lining of the converter.																		
Chemical and Physical properties	<table><thead><tr><th>Indicator</th><th>Content</th></tr></thead><tbody><tr><td>MgO/Mg(OH)₂ %</td><td>55,0/79,8 min.</td></tr><tr><td>SiO₂, %</td><td>6 max.</td></tr><tr><td>Fe₂O₃, %</td><td>0,5 max.</td></tr><tr><td>S, %</td><td>0,03 max.</td></tr><tr><td>Loss of Ignition (LOI)</td><td>35 max.</td></tr><tr><td>Particle Size distribution, %:</td><td></td></tr><tr><td>> 40 mm</td><td>10,0</td></tr><tr><td>< 10 mm</td><td>10,0</td></tr></tbody></table>	Indicator	Content	MgO/Mg(OH) ₂ %	55,0/79,8 min.	SiO ₂ , %	6 max.	Fe ₂ O ₃ , %	0,5 max.	S, %	0,03 max.	Loss of Ignition (LOI)	35 max.	Particle Size distribution, %:		> 40 mm	10,0	< 10 mm	10,0
Indicator	Content																		
MgO/Mg(OH) ₂ %	55,0/79,8 min.																		
SiO ₂ , %	6 max.																		
Fe ₂ O ₃ , %	0,5 max.																		
S, %	0,03 max.																		
Loss of Ignition (LOI)	35 max.																		
Particle Size distribution, %:																			
> 40 mm	10,0																		
< 10 mm	10,0																		
Storage:	The shelf life is 5 years from date of manufacturing, while maintaining the tightness of packing																		
Packing:	in bulk, big bags																		
Security:	refers to low-hazard substances; fire - and explosion-proof, non-toxic																		
Transportation:	transported by all modes of transport in accordance with the rules of transportation of goods that operates in this mode of transport																		

Rivium Quadrant 90, 2909 LC
Capelle aan den IJssel,
Rotterdam, the Netherlands
+31 (0) 10 350 6206
info@europiren.com

